



شرکت تسهیل گستران امن



**36 Month
Guarantee**



09301072339
041-35562599



dorbinhosseyi



041-35562599
041-35571904



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



تبریز- سه راه امین - کوچه دکتر نوائی - روبروی مسجد قلعه بیگی

لیست اردیبهشت ماه

36 Month Guarantee

FULL COLOR



2025-2026

1404

TIGAT

| مدل | مشخصات محصولات | قیمت |
|--------------------------------|---|------------|
| 1 TGT-AW251-C1 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 1.036.000T |
| 2 TGT-AW252-C2 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 3MP Resolution : 1920 * 1080 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M    | 1.301.000T |
| 3 TGT-AW254-C2 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M    | 1.307.000T |
| 4 TGT-AW255-C2 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M    | 1.313.000T |
| 5 TGT-AW256-C2 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M    | 1.321.000T |
| 6 TGT-AW253-C2 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M    | 1.329.000T |
| 7 TGT-AW250-C2 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M    | 1.331.000T |
| 8 TGT-AW256-C2-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 1.358.000T |
| 9 TGT-AW280-C2 Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Large Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 50M    | 1.573.000T |



09301072339
041-35562599



dorbinhosseyini



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کمیته دکتر نوازی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

36 Month Guarantee

**FULL
COLOR**



2025-2026

1404

TIGAT

| مدل | مشخصات محصولات | قیمت |
|------------------------------------|---|--|
| 10 TGT-AW281-C2 Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Plastic & Large Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight : 50M |    1.630.000T |
| 11 TGT-AW282-C2 Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Large Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight : 50M |    1.630.000T |
| 12 TGT-AW283-C2 Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight : 50M |    1.816.000T |
| 13 TGT-AW240-C2 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Dome Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight : 40M |    1.322.000T |
| 14 TGT-AW241-C2 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Dome Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight : 40M |    1.327.000T |
| 15 TGT-AW242-C2 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 1920 * 1080 Metal & Dome Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight : 40M |    1.329.000T |
| 16 TGT-AW551-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 2592 * 1944 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight : 40M |    1.544.000T |
| 17 TGT-AW552-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 2592 * 1944 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight : 40M |    1.549.000T |
| 18 TGT-AW554-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm Resolution : 2592 * 1944 Metal & Large Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight : 50M |    1.553.000T |



09301072339
041-35562599



dorbinhosseyni



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوهه دکتر لوائی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

36 Month Guarantee

FULL
COLOR



2025-2026

1404

TIGAT

| مدل | مشخصات محصولات | قیمت |
|---------------------------------|--|------------|
| 19 TGT-AW555-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 1.559.000T |
| 20 TGT-AW556-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 1.561.000T |
| 21 TGT-AW550-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 1.563.000T |
| 22 TGT-AW553-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 50M     | 1.567.000T |
| 23 TGT-AW580-C3 Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Dome Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 50M     | 1.707.000T |
| 24 TGT-AW581-C3 Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 50M     | 1.844.000T |
| 25 TGT-AW583-C3 Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 50M     | 1.987.000T |
| 26 TGT-AW540-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Dome Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 1.544.000T |
| 27 TGT-AW541-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Dome Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 50M     | 1.555.000T |



09301072339
041-35562599



dorbinhosseyini



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز- سه راه امین- کوچه دکتر نوائی
(روبروی مسجد قلعه بیگی)
شرکت تسهیل گستران امن

36 Month Guarantee








































FULL
COLOR



2025-2026

1404

TIGAT

| مدل | مشخصات محصولات | قیمت |
|---------------------------------|--|------------|
| 28 TGT-AW542-C3 | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Dome Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 1.559.000T |
| 29 TGT-AW552-C4 | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 2.127.000T |
| 30 TGT-AW555-C4 | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 2.131.000T |
| 31 TGT-AW556-C4 | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M     | 2.137.000T |
| 32 TGT-AW580-C4 Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 50M     | 2.260.000T |
| 33 TGT-AW541-C4 | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Dome Case . IP66 OSD Menu by UTC AHD & TVI & CVI & CVBS (4in 1) BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 50M     | 2.137.000T |
| 34 TGT-PW452-C5-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR WarmLight . 40M      | 1.658.000T |
| 35 TGT-PW454-C5-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2560 * 1440 Metal & Medium Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR WarmLight . 40M      | 1.665.000T |
| 36 TGT-PW455-C5-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2560 * 1440 Metal & Medium Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR WarmLight . 40M      | 1.672.000T |



09301072339
041-35562599



dorbinhosseyni



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوه دگر نوایی
(روبروی مسجد قلعه بیگی)
شرکت تسهیل گستران امن

36 Month Guarantee




















FULL
COLOR



2025-2026

1404

TGTAT

| مدل | مشخصات محصولات | قیمت |
|-----------------------------------|---|------------|
| 37 TGT-PW456-C5-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2560 * 1440 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M     | 1.678.000T |
| 38 TGT-PW450-C5-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2560 * 1440 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M     | 1.678.000T |
| 39 TGT-PW480-C5-M Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2560 * 1440 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 50M     | 1.844.000T |
| 40 TGT-PW441-C5-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2560 * 1440 Metal & Dome Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M     | 1.678.000T |
| 41 TGT-PW442-C5-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2560 * 1440 Metal & Dome Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M     | 1.679.000T |
| 42 TGT-PW551-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M     | 2.087.000T |
| 43 TGT-PW552-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M     | 2.095.000T |
| 44 TGT-PW554-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M     | 2.105.000T |
| 45 TGT-PW555-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M     | 2.105.000T |



09301072339
041-35562599



dorbinhosseyni



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز- سه راه امین- کوچه دکتر لوائی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

36 Month Guarantee













FULL
COLOR



2025-2026

1404

TGTAT

| مدل | مشخصات محصولات | قیمت |
|-------------------|--|---|
| 46 TGT-PW556-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M |      2.120.000T |
| 47 TGT-PW580-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 50M |      2.216.000T |
| 48 TGT-PW581-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR WarmLight . 50M |      2.330.000T |
| 49 TGT-PW583-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR WarmLight . 50M |      2.520.000T |
| 50 TGT-PW541-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Dome Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR WarmLight . 40M |      2.120.000T |
| 51 TGT-PW542-C6-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Dome Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR WarmLight . 40M |      2.125.000T |
| 52 TGT-PW551-C7-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR WarmLight . 40M |      3.546.000T |
| 53 TGT-PW552-C7-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M |      3.551.000T |
| 54 TGT-PW554-C7-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.9" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF/ AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M |      3.557.000T |



36 Month Guarantee

FULL
COLOR



2025-2026

1404

TIGAT

مدل

مشخصات محصولات

قیمت

| | | | | | |
|----|---------------------------------|---|--|--|------------|
| 55 | TGT-PW555-C7-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M | | | 3.561.000T |
| 56 | TGT-PW556-C7-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5mp Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR Warmlight . 40M | | | 3.563.000T |
| 57 | TGT-PW550-C7-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5MP Starlight Resolution : 2592 * 1944 Metal & Medium Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M | | | 3.563.000T |
| 58 | TGT-PW553-C7-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5MP Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 50M | | | 3.567.000T |
| 59 | TGT-PW580-C7-M Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5MP Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 IP / OVIF / AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 50M | | | 3.689.000T |
| 60 | TGT-PW583-C7-M Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5MP Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR Warmlight . 50M | | | 3.832.000T |
| 61 | TGT-PW541-C7-M | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5MP Starlight Resolution : 2592 * 1944 Metal & Dome Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/2D & 3D – DNR/ICR/D – WDR Warmlight . 50M | | | 3.565.000T |
| 62 | TGT-PW580-C7-EM Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm 5MP Starlight Resolution : 2592 * 1944 Metal & Large Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 40M | | | 3.889.000T |



09301072339
041-35562599



dorbinhosseyini



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوهه دکتر نوائی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

36 Month Guarantee

FULL
COLOR



2025-2026







































1404

TGT

مدل

مشخصات محصولات

قیمت

| | | | | | |
|----|---------------------------------|--|--|---|-------------|
| 63 | TGT-PW880-C8-M Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm Resolution : 3840 * 2160 Metal & Large Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 50M |  |     | Call |
| 64 | TGT-PW883-C8-EM Large | <ul style="list-style-type: none"> CMOS Progressive 1/2.8" Image Sensor Lens : 3.6 mm Resolution : 3840 * 2160 Metal & Large Case . IP66 IP / ONVIF / AUDIO BLC/HLC/AGC/AWB/3D – NR/ICR/D – WDR Warmlight . 50M |  |      | Call |
| 65 | TGT-XVR-N5104-N | <ul style="list-style-type: none"> 4CH*5M-N(6 IN 1)@20fps NOVATEK 4CH Audio 1*SATA ports VGA,HDMI full HD,BNC Video Output P2P Support : IOS,Android App(Xmeye)PC Software(CMS) Onvif,UTC,Face & motion Detection |  |    | 3.416.000T |
| 66 | TGT-XVR-N5108-N | <ul style="list-style-type: none"> 8CH*5M-N(6 IN 1)@12fps NOVATEK 4CH Audio 1*SATA ports VGA,HDMI full HD,BNC Video Output P2P Support : IOS,Android App(Xmeye)PC Software(CMS) Onvif,UTC,Face & motion Detection |  |    | 4.139.000T |
| 67 | TGT-XVR-N5216-N | <ul style="list-style-type: none"> 16CH*5M-N(6 IN 1)@12fps NOVATEK 2CH Audio 2*SATA ports VGA,HDMI full HD,BNC Video Output P2P Support : IOS,Android App(Xmeye)PC Software(CMS) Onvif,UTC,Face & motion Detection |  |    | 7.936.000T |
| 68 | TGT-XVR-N5232-N | <ul style="list-style-type: none"> 32CH*5M-N(6 IN 1)@12fps NOVATEK 2*SATA ports VGA,HDMI full HD,BNC Video Output P2P Support : IOS,Android App(Xmeye)PC Software(CMS) Onvif,UTC,Face & motion Detection |  |    | Call |
| 69 | TGT-NVR-H9110-4K | <ul style="list-style-type: none"> 10CH*4K/8MP Hisilicon PlayBack : 4K(1)/5M(1+1) 1*SATA ports VGA,HDMI full HD P2P Support : IOS,Android App(Xmeye)PC Software(CMS) Human shape / Face & Motion Detection / Onvif |  |    | 3.889.000T |
| 70 | TGT-NVR-H9116-4K | <ul style="list-style-type: none"> 16CH*4K/8MP Hisilicon PlayBack : 4K(1)/5M(1+1) 1*SATA ports VGA,HDMI full HD P2P Support : IOS,Android App(Xmeye)PC Software(CMS) Human shape / Face & Motion Detection / Onvif |  |    | 4.790.000T |
| 71 | TGT-NVR-H9236-4K | <ul style="list-style-type: none"> 32CH*4K / 8MP@H.265AI / H.265+ Hisilicon Hi3536DV100 PlayBACK : 4k(1)/5M(2)/3M(3)/1080P(5) 240Mbps 2 SATA(Up to 14TB for each disk) VGA ,HDMI HD output,human shape/Face & Motion Detection P2P Support : IOS,Android(Xmeye)PC Software(CMS) |  |    | 10.553.000T |



09301072339
041-35562599



dorbinhosseyni



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کمیته دکتر لوائی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

36 Month Guarantee

FULL
COLOR



2025-2026

1404

TGT

مدل

مشخصات محصولات

قیمت

| | | | | |
|----|-----------------------------|--|---|----------|
| 72 | TGT 2A CCTV Adaptor | <ul style="list-style-type: none"> Input Power : 100 – 240 V Input AC frequency : 50Hz / 60Hz Output voltage : DC 12.0 V Output current / Power : 2.2A/26W Nominal current / Power : 2.8A/33W |  | 163.000T |
| 73 | TGT 5A CCTV Adaptor | <ul style="list-style-type: none"> Input Power : 100 - 240 V Input AC frequency : 50Hz / 60Hz Output voltage : DC 12.0 V Output current / Power : 4.5A / 54W Nominal current / power : 5.5A/66W |  | 336.000T |
| 74 | DC Power Female Cable | <ul style="list-style-type: none"> Product : DC Power Male Cable Use For : for CCTV Security Camera Power Adapter Connectors Material : Metal & PVC Metal material : Pre – tinned copper clad Insulator material : PVC |  | 6.900T |
| 75 | DC Power Male Cable | <ul style="list-style-type: none"> Product : DC Power Male Cable Use For : for CCTV Security Camera Power Adapter Connectors Material : Metal & PVC Metal material : Pre – tinned copper clad Insulator material : PVC |  | 6.400T |
| 76 | TGT Screw-on BNC ConnectorA | <ul style="list-style-type: none"> BNC Connector type : Screw-On Impedance : 50-75 ohm Material Center : Copper Contact : Beryllium / Copper /Nickel |  | 22.000T |
| 77 | TGT Screw-on BNC ConnectorB | <ul style="list-style-type: none"> BNC Connector type : Screw-On Impedance : 50-75 ohm Material Center : Copper Contact : Beryllium / Copper /Nickel |  | 19.300T |
| 78 | TGT RCA Connector | <ul style="list-style-type: none"> Connector type : RCA Male Connector plating : Nickel Planted Material : Metal Colour : Gold & Silver |  | 20.800T |
| 79 | CCTV golf ball mic | <ul style="list-style-type: none"> Voltage : 12VDC Current Consumption : 20mA Enclosure Design : concave/omnidirectional Sound capture Monitoring Range : 5 to 50 square meter Output Impedance : 600 |  | 121.000T |
| 80 | 10A Switching Power Supply | <ul style="list-style-type: none"> Input Power : 100 - 240 V Input AC frequency : 50Hz / 60Hz Output voltage : DC 12.0 V Output current : 10A Output Power : 180 w Protections : Short-circuit , Over load ,Over voltage , Discharge |  | 515.000T |
| 81 | 15A Switching Power Supply | <ul style="list-style-type: none"> Input Power : 100 - 240 V Input AC frequency : 50Hz / 60Hz Output voltage : DC 12.0 V Output current : 15A Output Power : 180 w Protections : Short-circuit , Over load ,Over voltage , Discharge |  | 570.000T |



09301072339
041-35562599



dorbinhosseyini



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوهه دکتر نوائی
روبروی مسجد قلعه پیگی
شرکت تسهیل گستران امن

36 Month Guarantee

**FULL
COLOR**



2025-2026

1404

TgAT

مدل

مشخصات محصولات

قیمت

| | | | | |
|----|----------------------------|--|---|----------|
| 82 | 20A Switching Power Supply | <ul style="list-style-type: none"> Input Power : 100 - 240 V Input AC frequency : 50Hz / 60Hz Output voltage : DC 12.0 V Output current : 20A Output Power : 180 w Protections : Short-circuit , Over load ,Over voltage , Discharge |  | 750.000T |
| 83 | 30A Switching Power Supply | <ul style="list-style-type: none"> Input Power : 100 - 240 V Input AC frequency : 50Hz / 60Hz Output voltage : DC 12.0 V Output current : 30A Output Power : 180 w Protections : Short-circuit , Over load ,Over voltage , Discharge |  | 920.000T |
| 84 | Coaxial Cable | <ul style="list-style-type: none"> Coaxial cable – RG59 Cut Surface / Number of shield strings : 0.7mm / 96Strings Material core shield : Copper Length : 305m Impedance : 75 Ω |  | 25.800T |
| 85 | Network Cable/cu | <ul style="list-style-type: none"> Network cable CAT6 /UTP Material : UTP / Twisted Pair / 4Pair / PVC / 100 Ω 600MHZ/cu Length : 305m |  | 37.200T |
| 86 | Network Cable/cu | <ul style="list-style-type: none"> Network cable CAT6 /SFTP Material : plain Copper / Twisted Pair / 4Pair Length : 500m |  | 54.300T |
| 87 | CAT6 RJ45 JACK UTP | |  | 3.200T |
| 88 | سوکت فلزی | |  | 5000T |
| 89 | کم باکس لولایی تیگیت پرو | |  | 78.600T |
| 90 | CAMBOX 14*14 | |  | 74.500T |
| 91 | BOX 10*15 | |  | 37.500T |



09301072339
041-35562599



dorbinhosseyni



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوهه دکتر لوائی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

36 Month
Guarantee



2025-2026

1404

IPS 30A



| قیمت | با جعبه / بدون جعبه |
|------------|---------------------|
| 4.650.000T | 30A |
| 3.790.000T | 15A |

Back up Time

| 40 | 18 | 9 | 7 | Battery(A/H) DVR & CCTV |
|-----|-----|------|-----|----------------------------|
| 6 | 1.5 | 0.7 | 0.5 | 4CH |
| 3 | 0.7 | 0.25 | - | 8CH |
| 1.5 | 0.4 | - | - | 16CH |

Supported Equipment

NVR or DVR 4CH + 4 IR CCTV + Battery 180(A/H)

NVR or DVR 8CH + 8 IR CCTV + Battery 130(A/H)

NVR or DVR 16CH + 16 IR CCTV + Battery 100(A/H)

NVR or DVR 32CH + 20 IR CCTV + Battery 50(A/H)